



Banshee Jet 40

Shikra-Banshee Jet 40

Developed from the successful Banshee Whirlwind target, this jet engine version entered service to fulfil two emerging requirements.

The first is for an affordable and reliable target that is faster than the propeller driven Banshee.

The second is the provision of a realistic, complete 360° IR signature.

Banshee Jet 40 fulfils both of these requirements as it has a top speed in excess of 135 metres/second and when fitted with the patented Hot Nose provides a forward and side looking IR source with output in bands I, II and III.

A realistic IR signature to the rear of the target is provided by the rare-mounted jet engine, which produces 40kg of static thrust.

All other well proven augmentation devices traditionally available to Banshee can be fitted to this jet engine derivative.

The Banshee range of aerial targets are typically used by customers to represent threats posed by UAVs, enemy aircraft, and general aerial threat weapons. Variants of Banshee have been used by customers to test the effectiveness and operational readiness of weapon systems, including:

- _ Air-to-Air Missiles: Meteor, AMRAAM, Aim-7 Sparrow, Aim-9 Side winder, IRIS-T, MICA, Aspide, and R550 Magic Missile
- _ Ground/MANPAD/Surface-to-Air Missiles: IRIS-T, Stinger AKASH, Sea Wolf, Mistral, Sadral, Rapier/Jernas, HVM, Simbad, Crotale, Blowpipe, Javelin, Starburst, Starstreak, NASAMS, ESSM, Hawk, and Patriot
- _ Guns/Cannon Systems: Phalanx, Sea Zenith, Seaguard, AHEAD, Goalkeeper, plus a range of large/medium cal naval guns and cannon systems (20mm-155mm)

Key Features

Suitable for use on land and at sea


Suitable for use against surface-to-air and air-to-air weapon systems

Target performance and enhancement easily varied by plug-in modules

Target airframe and enhancements proven worldwide over many thousands of in-service operations

Banshee Jet 40 Specifications

Physical	
Wingspan	2.49m (8ft 2in)
Length	2.86-2.95m (9ft 5in-9ft 8in) (typical, dependent on configuration)
Height	0.78m (2ft 6in)
Wing Area	2.42m ² (26ft ²)
Power	40kg static thrust gas turbine engine
Performance	
Speed Range	50-135m/s (97-262 knots) (180-486km/hr)
Launch Speed	32m/s (62 knots) (115km/hr)
Operating Range	>100km (60miles)
Endurance	>65 minutes at economical cruise
Maximum Altitude	8,000 metres (26,247ft)
Minimum Altitude	5 metres (16ft)
Recovery	Parachute
Other features	
Stabilisation	Our CASPA Avionics with digital autopilot and 3 axis IMU
Tracking and Telemetry	Integrated GPS, autonomous waypoint navigation and digital telemetry systems
Typical Payloads	Up to eight smoke tracking flares Up to 16 infrared tracking flares (combinations of flares may be carried and activated as required) Hot nose, black-body IR source IR and radar chaff decoy dispensing pods IFF transponder capable of modes A and C Luneberg lenses Frequency specific, active radar augmenters Radar altimeter, sea-skimming module Acoustic and Doppler radar MDI (these payloads may be mixed and some carried simultaneously)



Banshee Jet 40 Image

Note: Due to continuous process improvements, specifications are subject to change without notice

For further information please contact :

Anadrone Systems Private Limited
703, Emaar Capital Tower 1
M.G. Road, Sector 26, Gurugram – 122002, Haryana (India)
Tel.: +91 (124) 4207284 / 85 • Fax : +91 (124) 4207287
E-mail : info@anadrone.com
www.anadrone.com